

भारतका राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—खण्ड 1 PART I—Section 1

, प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 70] No. 70] नई दिल्ली, सोमवार, मार्च 12, 2007/फाल्गुन 21, 1928

NEW DELHI, MONDAY, MARCH 12, 2007/PHALGUNA 21, 1928

वाणिज्य एवं उद्योग मंत्रालय

(वाणिज्य विभाग)

सार्वजनिकं सूचना

नई दिल्ली, 12 मार्च, 2007

सं. 89 (आर ई-2006)/2004-2009

फा. सं. 01/87/171/00002/एएम 07/डीईएस-VIII. विदेश व्यापार नीति, 2004-2009 के पैराग्राफ 2.4 और प्रक्रिया पुस्तक (खण्ड-1) के पैराग्राफ 1.1 के तहत प्रदत्त शक्तियों का प्रयोग करते हुए, महानिदेशक, विदेश व्यापार एतद्द्वारा समय-समय पर यथासंशोधित प्रक्रिया पुस्तक खण्ड 2, 2004-2009 में निम्नलिखित संशोधन/परिवर्धन/विलोपन/शुद्धिकरण करते हैं।

- 2. समय-समय पर यथासंशोधित प्रक्रिया पुस्तक, (खण्ड-2), 2004-2009 में यथा निहित मानक निविध्ट उत्पादन मानदण्डों (सिओन) के विवरण में इस सार्वजनिक सूचना के अनुलग्नक 'क' (पृष्ठ 2-5) में यथा निर्दिष्ट उपयुक्त स्थलों पर संशोधन/शुद्धियों की गई हैं।
- 3. मानक निविध्टि उत्पादन मानदण्डों (सिओन) के विवरण में यथा निर्दिष्ट उपयुक्त स्थानों पर निम्नलिखित परिवर्धन/विलोपन किए जाएँगे :-

रसायन और सम्बद्ध उत्पाद

सार्वजनिक सूचना सं. 50 दिनांक 31-8-2006 द्वारा हटाए गए क्रम सं. क 1778 की सिओन प्रविष्टि को इस सार्वजनिक सूचना के अनुलग्नक 'ख' (पृष्ठ 6-7) के अनुसार संशोधित मानदण्ड द्वारा पुन: जोड़ दिया गया है।

सार्वजनिक सूचना सं. 82 दिनांक 16-01-2006 द्वारा अधिसूचित क्रम सं. क 3598 की सिओन प्रविष्टि को हटा दिया गया है।

इसे लोकहित में जारी किया जाता है।

भवानी सिंह मीना, महानिदेशक, विदेश व्यापार

अनुलग्नक 'क'

		संशोध	न∕शुद्धियाँ		
क्रम सं.	पृष्ठ सं.	.सन्दर्भ	संशोधन/शुद्धियाँ		
1	2	3	• 4		
1.	ক 102	उत्पाद समूह : रसायन और संबद्ध उत्पाद क्रम संख्या क-1170 की सिआन प्रविष्टि	मूल्य प्रतिबंध लगाने वाले सिअ इटा दिया गया है।	ान के नीचे की टिप्पण	ी को शुरू से
2.	क 163	उत्पाद समूह : रसायन और संबद्ध उत्पाद क्रम संख्या क्-1875 की सिआन प्रविष्टि	प्रविष्टि के महे निर्यात मद के व्यौरे जाएगा :- ''टाइटेनियम डाई-आक्साइड 95 इल्मेनाइट (सिंथेटिक रिउटाइल	प्रतिशत वाले संवर्धित	
3.	कं 173	उत्पाद समूंह : रसायन और संबद्ध उत्पाद क्रम संख्या क-2005 की सिआन प्रविष्टि	प्रविध्टि के मद्दे क्रम संख्या 1 की मौत मात्रा सहित क्रम सं 2 पर निम्नर्लि ''इथीलीन आक्साइड0.325 वि	जूदा आयात मद''फिन खित आयात मद को उ	
4.	ভ 27	उत्पाद समूह : इलेक्ट्रानिक उत्पाद क्रम संख्या ख-76 की सिआन प्रविष्टि	 प्रिविष्टि के मद्दे निर्यात मद 'ग्ला पार्ट)' के ब्यौरे को संशोधित कर ' 'ग्लास स्टेम्स (इलेक्ट्रानिक गन 2. क्रम सं. 3 के आयात मद के ब्यं एलाय'' को प्रविष्टि के मद्दे निम्नानु ''निकल साफ्ट मैग्नेटिक एलाय 	निम्नानुसार पढ़ा जाएग । पार्ट)'' ोरे नामत :''निकल स सार पढ़ा जाएगा :–	T :
5.	ग 1	उत्पाद समूह : इंजीनियरिंग उत्पाद क्रम संख्या ग-2 की सिआन प्रविष्टि	सिआन प्रविष्टि को संशोधित कर नि		:-
			क्रम सं. नियात मद मात्रा	आयात मद	अनुमत मात्रा
			 राइस और बास । किग्रा सहित अल्यूमी नियम एलॉय एक्ट्रयूडेड उत्पाद 	अल्यूमी- नियम एलॉय बिलट्स अथवा (क) अल्यूमी- नियम इन्गट/टी बार्स/शॉ अथवा (क) अल्यूमीनियम	1.01 किग्रा. 1.02 किग्रा.
		•		स्क्रैप (ख) कॉपर स्क्रैप (ग) सिलिकान (घ) जिंक स्क्रैप (ङ) मैंगनीज (च) कोई अन्य धातु X 2. कोटिंग के लिए पाउडर	1.04 किग्रा. 1.05 किग्रा. 1.05 किग्रा. 1.05 किग्रा. 1.05 किग्रा. 1.05 किग्रा. निर्यात उत्पाद में 0.02 किग्रा./
				ालए पाउडर 3. टूल और डाई स्टील	कग्रा. अंश पोत पर्यन्त नि: शुल्क मूल्य का 4 प्रतिशत

टिप्पणी :

- 1. उपरोक्त अनुमत मात्रा निर्यात उत्पाद की सामग्री का प्रति किलो निवल अंश है । वास्तविक संघटन आवेदक द्वारा प्रस्तुत करना होगा।
- यदि निर्यात का मद एनोडाइज्ड है तो, एक अतिरिक्त मद, "स्टेनोस सल्फेट" जो निर्यात उत्पाद की सामग्री में 1.04 किग्रा/ किग्रा. निवल अंश की दर की अनुमति दी जाएगी।
- यदि निर्यात उत्पाद पाउडर कोटेड है तभी कोटिंग के लिए पाउडर अनुमत होगा।

क्रम सं.	पृष्ठ सं.	सन्दर्भ	संशोधन/शुद्धियाँ
1	2	3	4
6.	ग240	उत्पाद समूह : इंजीनियरिंग उत्पाद क्रम संख्या ग-1701 की सिआन प्रविष्टि	प्रविष्टि के मद्दे निर्यात मद की मात्रा और विवरण को संशोधित कर फेरो कैल्सियम कोर्ड वायर (जिसमें 28—30 प्रतिशत कैल्सियम ग्रैन्यूल्स, 70-72 प्रतिशत आयरन पावडर और अल्यूमिनियम आदि
			अत्य मात्रा में शामिल है) 1 किग्रा. मिश्रण अंश के बदले ''फेरो कैल्सियम कोर्ड वायर (जिसमें कैल्सियम ग्रैन्यूल्स और आयरन पाउडर शामिल है 1 किग्रा.'' पढ़ा जाएगा।
7.	ज25	उत्पाद समूह : प्लास्टिक उत्पाद क्रम संख्या ज-236 की सिआन प्रविष्टि	सार्वजनिक सूचना संख्या 50 (आरई: 2006/2004-2009) दिनांक 31-8-2006 में शामिल प्रविष्टि के नीचे की टिप्पणी को निम्नानुसार संशोधित किया जाता है-
) • • • • • • • • • • • • • • • • • • •	''टिप्पणी: रेजिन अंश की विभिन्न प्रतिशत के लिए मद सं. 1 से 6 हेतु आयात की आवश्यकता का यथानुपात आधार पर आकलन किया जा सकता है। मद सं. 7 अर्थात् सालवेन्ट के लिए आवश्यकता का आकलन सालवेन्ट अंश/प्रतिशतता के आधार पर विलोम अनुपात में किया जा सकता है।''
8.	জ33	उत्पाद समूह : प्लास्टिक उत्पाद क्रम संख्या ज–285 की सिआन प्रविष्टि	 प्रविष्टि के मद्दे निर्यात मद ''पत्थर के सिलिपट हेतु ईवीए से विनिर्मित रेल पैड्स'' के विवरण को संशोधित कर निम्नानुसार पढ़ा जायेगा :-
*			''ईवीए से विनिर्मित रेल पैड्स'' 2. प्रविष्टि के मद्दे क्रम सं. (1) और (2) पर आयात मदों के विवरण को संशोधित कर निम्नानुसार पढ़ा जायेगा :-
			''1. ईवीए ग्रैन्यूल्स 2. सम्बद्ध कलर मास्टर बैच/कार्बन ब्लैक''
9.	স51−52	उत्पाद समूह : प्लास्टिक उत्पाद क्रम संख्या ज-444 की सिआन प्रविध्टि	प्रविष्टि के मद्दे क्रम. सं. 6 पर आयात मद के विवरण ''रेलेवेन्ट प्रालीप्रापिलीन स्ट्रिप्स माडीफाईड पाली मूटलोसेन स्ट्रिप्स'' को संशोधित कर निम्नानुसार पढ़ा जायेगा :-

"एल एस स्ट्रिप्स/(प्रालीप्रापिलीन स्ट्रिप्स/माडीफाईड पाली मटेलोमीन स्ट्रिप्स/एमएचएम स्ट्रिप्स एम डब्ल्यू एम स्ट्रिप्स"

अनुलग्नक 'ख'

रसायन और संबद्ध उत्पाद

क्रम सं,	पृष्ठ सं.	. सन्दर्भ	परिवर्धन
1	2	3	4
1.	क 153	उत्पाद समूह : रसायन और संबद्ध उत्पाद क्रम संख्या क-1778 की सिआन प्रविष्टि	सिआन प्रत्रिष्टि के मद्दे निम्नलिखित को शामिल किया गया है
 ;··			1
क्रम सं.	नियोत मद	मात्रा आयातः	मद अनमत मात्रा

क्रम सं	. निर्यात मद	मात्रा	आयात मद	अनुमत मात्रा
1.	लेजर प्रिंटर/फोटोकापियर के लिए काम्पैटिएबल ब्लैक टोनर (ब्यूनो टोनर	100 किग्रा.	 स्टीरीन एक्रिलिक कोपालीमम् एवीएस/एसएएन रेजिन को छोडकर 	59.8 किग्रा.
और	और जिराक्स 1025 को छोड़कर)	•	2. लीनियर अनसेचूरेटेड पालीस्टर रेजिन्स	4.12 किग्रा.
			अथवा :	
			स्टीरीन एक्रिलिक कोपालीमर्स एवीएम/एस एएन रेजिन्स को छोड़कर	4.12 किग्रा.
			 वैक्स (पीपी वैक्स/पालीइथीलीन वैक्स करेनेडबा वैक्स/ राइम वैक्स/एमाइड वैक्स 	8.80 किग्रा.
			4. फ्यूम्ड सिलिका/एरोसिल	1.60 किग्रा.
			5. भैग्नेटाइट/आइम आक्साइड	30.00 किग्रा,
			े6. कार्बन ब्लैक	2.96 किग्रा.
			7. एडिटिक्स और चार्ज कंट्रोल एजेन्टस अल्यूमीनियम आक्साइड/टाइटेनियम डाइंआक्साइड/टिन डाईआक्साइड्स (इलेक्ट्रो कांड इनआर्गनिक आक्साइड्स) मैग्नेशियम स्टेरेट/जिंक स्टेरेट्स/आइरन ब्लू ब्लू पिंगमेंन्ट्स/पालिशिंग एजेन्ट/सेरियम आक्साइड/स्ट्रोन्सियम टाइटेनेट/सेरीडस्ट/ चार्ज कंट्रोल एजेन्ट/डाई और पिंगमेन्ट्स/बानट्रान/पीवीडी एफ पाउडर]	2.86 किग्रा.
			8. रेलेवेन्ट एम्प्टी कार्टिजेज और बोतलें (पैकिंग के लिए)	निवल अंश + 1% संख्या

MINISTRY OF COMMERCE AND INDUSTRY

(Department of Commerce)

PUBLIC NOTICE

New Delhi, the 12th March, 2007

No. 89 (RE. 2006)/2004-2009

F. No. 01/87/171/00002/AM 07/DES-VIII.—In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2004—2009 and Paragraph 1.1 of the Handbook of Procedures (Vol.1), the Director General of Foreign Trade hereby makes the following amendments/additions/deletions/corrections in the Handbook of Procedures, Vol. 2, 2004—2009, as amended from time to time.

- 2. In the statement of Standard Input Output Norms (SION) as contained in the Handbook of Procedures (Vol. 2), 2004-2009, as amended from time to time, amendments/corrections at appropriate places as mentioned in ANNEXURE "A" (Pages 2-4) to this Public Notice are made.
- 3. In the statement of Standard Input Output Norms (SION), the following additions/deletions shall be made at appropriate places as mentioned below:—

CHEMICALS AND ALLIED PRODUCTS

The SION entry at Sl. No. Å1778 deleted vide Public Notice No. 50 dated 31-8-2006 is restored with revised norms as per ANNEXURE "B" (Pages 5-6) to this Public notice.

The SION entry at Sl. No. A3598 notified through the Public Notice No. 82 dated 16-1-2006 stands deleted.

This issues in public interest.

B. S. MEENA, Director General of Foreign Trade

ANNEXURE "A"

AMENDMENTS/CORRECTIONS

Sl. No. Page No.		Reference	Amendments/Corrections		
1	. 2	3	4		
1.	A102	Product Group: Chemicals and Allied Products SION entry at SI. No. A1170	The Note below the SION imposing value restriction is deleted ab initio.		
2.	A163	Product Group: Chemicals and Allied Products SION entry at SI. No. A1875	The description of the Export Item against the entry is corrected to read as under. "Upgraded Beneficiated Ilmenite (Synthetic Rutile) containing Titanium Dioxide 95%"		
3.	A173	Product Group: Chemicals and Allied Products SION entry at Sl. No. A2005	After the exsiting Import Item 'Phenol' at Sl. No. 1 against the entry, the following Import Item is added at Sl. No. 2 with the quantity indicated against it: "Ethylene Oxide0.325 kg;"		
4.	B27	Product Group: Electronics Products SION entry at SI. No. B76	1. The description of the Export Item 'Glass Stems 20 mm (Electron Gun Part)' against the entry is amended to read as under : "Glass Stems (Electronic Gun Part)"		
			2. The description of the Import Item at SL. No. 3, viz., 'Nickel Soft Magnetic Alloy' against the entry is amended to read as under : "Nickel Soft Magnetic Alloy/Stem Pin"		
5.	cı cı	Product Group: Engineering Products SION entry at SI. No. C2	The SION entry is amended to read as under		

Sl. No	Export Item	Quantity	Import Item	Qty. Allowed
1	2	3	4	5
1.	Aluminium Alloy extruted products including Rods and Bars	1Kg.	1. Aluminium Alloy Billets OR 1(a) Alumini Ingot/T Bars/Sows	} ·

			1	2	3	4 5	
			-			OR	
		•				(a) Aluminium Scrap	1.04 kg.
						(b) Copper Scraj	1.05kg,
						(c) Silicon	1.05 kg.
						(d) Zinc Scrap	1.05 kg.
						(c) Manganese	1.05 kg.
<u> </u>						(f) Any other metal X	1.05 kg.
						2. Powder for	0.02
		•				Coating	kg./kg.
							content in export
							product
						3. Tool & Die	4% of
						Steel	FOB
							Value
			Note:				
			1.	the mate	rial in the e	bove is per kg. net xport product. T	he actual
			2	-		furnished by the ap ort is Anodised, an	-
				item, "Sta	nnous sulphat	e" (a) 1.04 kg./kg. port product will be	net content
			3.		or coating sha s powder coate	all be allowed only	y if export
1 2		3		4	- portar cata		
6.	C240	Product Group : Engineering	The d		nd auantity or	f the Export Item:	ogainst the
0.	C210	Products SION entry at SI. No. C1701	entry	is amendec	l to read as	"Ferro Calcium C Iron Powder,	ored Wire
						Wire (Containing on Powder and Al. et	
			_	nixture cont	tent`.		
7.	H25	Product Group : Plactice SION	THE . N	Last Last Last Control			AL The L15 at
		Product Group: Plastics SION entry at SI, No. H236				orporated through 909 dated 31-8-2006	
			Notice as unc	No.50 (RE: ler :	: 2006) 2004-20	009 dated 31-8-2006	is corrected
			Notice as unc "Note	No.50 (RE: ler : : For differ	: 2006) 2004-20 ent %age of re	009 dated 31-8-2006 sin content the requ	is corrected
			Notice as unc "Note impor	No.50 (RF) ler: : For differ ts for item N	: 2006) 2004-20 ent %age of re So. 1 to 6 may l	009 dated 31-8-2006 sin content the reques worked out on p	is corrected tirement of rorata basis.
·			Notice as unc "Note impor For ite	No.50 (RF: ler: : For differ ts for item N m No.7 i.e.,	: 2006) 2004-20 ent %age of re So, 1 to 6 may t solvent, the rec	009 dated 31-8-2006 sin content the requ	is corrected airement of rorata basis. orked out in
	Н33	entry at SI, No. 11236 Product Group: Plastics SION	Notice as unce "Note imported inversed I. The	No. 50 (RE) ler: : For differ ts for item N m No. 7 i.e., e ratio deper e description	ent %age of re So. I to 6 may be solvent, the recording on solvent n of the Expor	sin content the request worked out on property worked out on property worked out on property worked out on the content/percentaged them 'Rail pads in	is corrected uirement of rorata basis. orked out in ge."
8.	Н33	entry at SI, No. 11236	Notice as unc "Note impor For ite inverse 1. The EVA	No.50 (RE: ler: : For differ ts for item N m No. 7 i.e., e ratio deper e description for concrete	ent %age of re So. I to 6 may be solvent, the recording on solvent n of the Expor	sin content the request worked out on putiement may be worked to the content/percentage.	is corrected uirement of rorata basis. orked out in ge."
8.	Н33	entry at SI, No. 11236 Product Group: Plastics SION	Notice as unc "Note impor For ite inverse 1. The EVA read a	No.50 (RE: ler: : For differ- ts for item N m No. 7 i.e., e ratio deper e description for concrete as under:	ent % age of re Ko. 1 to 6 may be solvent, the rec ading on solvent to of the Export a sleeper again	sin content the request worked out on property worked out on property worked out on property worked out on the content/percentaged them 'Rail pads in	is corrected uirement of rorata basis. orked out in ge."
8.	Н33	entry at SI, No. 11236 Product Group: Plastics SION	Notice as unc "Note impor For ite inversi 1. The EVA read a "Rail!	No.50 (RE: ler: : For differ ts for item N m No. 7 i.e., e ratio deper e description for concreto as under: Pads made o	ent % age of re No. 1 to 6 may be solvent, the reconding on solvent n of the Export e sleeper again	sin content the request worked out on property worked out on property worked out on property worked out on the content/percentaged them 'Rail pads in	is corrected tirement of rorata basis. orked out in ge." nade out of nended to
8.	Н33	entry at SI, No. 11236 Product Group: Plastics SION	Notice as unc "Note impor For ite inverse 1. The EVA read a "Rail" 2. The aga	No.50 (RE: ler: : For differ ts for item N m No. 7 i.e., e ratio deper e description for concrete as under: Pads made de e description	ent % age of re No. 1 to 6 may be solvent, the recording on solvent n of the Export e sleeper again out of EVA" on of the Importry is amended	sin content the request worked out on purification may be went content/percentage titem 'Rail pads notes the entry is an	is corrected airement of rorata basis. orked out in ge." nade out of mended to (1) and (2)
) *		entry at SI, No. 11236 Product Group: Plastics SION entry at SI, No. H285	Notice as unc "Note impor For ite inversi 1. The EVA read a "Rail" 2. The aga "1	No.50 (RE: ler: : For differ- ts for item N m No. 7 i.e., e ratio deper- e description for concrete as under: Pads made ce description inst the ent . EVA Gran . Relevant O	ent % age of re No. 1 to 6 may be solvent, the recording on solvent n of the Export e sleeper again out of EVA" on of the Import try is amended aules Colour Master	sin content the request worked out on puricement may be went content/percentage t ltem 'Rail pads notes the entry is and the three at Sl. Nos. I to read as under:	is corrected tirement of rorata basis. orked out in ge." nade out of nended to (1) and (2)
8. 9.	H33	Product Group: Plastics SION entry at SI, No. H285 Product Group: Plastics	Notice as unc "Note impor For ite inversit. The EVA read a "Rail! 2. The aga "1	No.50 (RE: ler: For differ- ts for item N m No. 7 i.e., e ratio deper- description for concrete as under: Pads made of e description inst the ent EVA Gran Relevant Obseription of	ent % age of re No. 1 to 6 may be solvent, the reconding on solvent n of the Export e sleeper again out of EVA" on of the Import try is amended aules Colour Master f the Import Ite	sin content the request worked out on puricement may be went content/percentage them 'Rail pads usinst the entry is and the read as under; Batch/Carbon Blamat Sl. No. 6, viz.	is corrected tirement of rorata basis. orked out in ge." nade out of mended to (1) and (2) ck", 'Relevant
*		entry at SI, No. 11236 Product Group: Plastics SION entry at SI, No. H285	Notice as unc "Note impor For ite inverse 1. The EVA read a "Rail" 2. The aga "1 2 The de Polyp	No. 50 (RE: ler: For difference for item No. 7 i.e., ratio dependence description for concrete as under: Pads made of the description inst the ent EVA Grant Relevant Of the copylene S	ent % age of re No. 1 to 6 may be solvent, the reconding on solvent n of the Export e sleeper again but of EVA" on of the Import try is amended tules Colour Master f the Import Ite trips Modific	sin content the request worked out on puricement may be went content/percentage t Item 'Rail pads units the entry is and the read as under: Batch/Carbon Black at Sl. No. 6, viz. ed Poly Metallose	is corrected tirement of rorata basis. orked out in ge." nade out of mended to (1) and (2) ck", 'Relevant
*		Product Group: Plastics SION entry at SI, No. H285 Product Group: Plastics	Notice as unc "Note impor For ite inversit. The EVA read a "Rail! 2. The aga "1 2 The de Polyp agains	No. 50 (RE: ler: : For differents for item No. 7 i.e., e ratio dependent description for concrete as under: Pads made ce description inst the ent . EVA Grant Cescription of ropylene S st the entry	ent % age of re No. 1 to 6 may be solvent, the recording on solvent n of the Export e sleeper again but of EVA" on of the Importances Colour Master f the Import Ite trips Modificalis is amended to	sin content the request worked out on puricement may be went content/percentage them 'Rail pads usinst the entry is and the read as under; Batch/Carbon Blamat Sl. No. 6, viz.	is corrected tirement of rorata basis. orked out in ge." nade out of mended to (1) and (2) ck", 'Relevant ne Strips'

ANNEXURE "B"

Sl. No.	Page No.	Reference		Addition			
1	2	3		4			
1.	A153	Product Group: Chemicals and Allied Products SION entry at SI. No. A1778	The	following is i	ncorporate	d against the SIOI	N entry:
<u>.</u>		*	SL No.	Export Item	Quantity	Import Qty.	Allowed
		•	1	. 2	3	4	5
			1.	Compatible Black Toner for Laser Printer/Photocop (Other than Buen Toner and Xerox 1025)	ier 10	Styrene Acrylic copolymers other than ABS/SAN Resirated Polyester Resins	
		· · · · · · · · · · · · · · · · · · ·		***		OR Styrene Acrylic Copolymers oth than ABS/SAN Resins	
	·			*	×	3. Waxes (PP Wax/Polyethy- lene Wax Carnauba Wax/ Rice Wax/Amid Wax	
	· · · · · · · · · · · · · · · · · · ·					4. Fumed Silica/ Aerosil 5. Magnetite/Iron	1.60kg 30.00kg
						Oxide 6. Carbon Black	2.96 kg
			`			7. Additives & Charge Control Agents (Alumi- nium Oxide/ Titanium	2.86 kg.
. *				*		Di-oxides/Tin Di-oxides (Electro Cond. Inorganioxides) Magne-	
				-		sium Stearate/ Zinc-Stearates/ Iron Blue/Blue Pigments/ Polishing	·
		•				Agent/ Ceriumoxides/ Strontium Titanate/	